

ZH/ZW400UST(i)

Optoma

Next-gen Laser Ultra Short Throw Projector with ultimate performance

Perfectly for education, corporate, and commercial usage



The ZH/ZW400UST(i) series is an ultra short throw projector series with 4,000 ANSI lumens, designed perfectly for education, corporate, and professional installations where ultra short throw projection is desired due to environment requirement.

Benefits from Optoma's industrial leading DuraCore Technology, it features Instant on and off features, low total cost of ownership with no maintenance up to 20,000 hours, makes perfect for corporate meeting and education usage. The multiple installation flexibility and 24/7 capability allows the series to be used for professional installation scenarios where your imagination is the only boundary.


Ultra Short Throw
PROJECTOR series

asia.optoma.com

ZH/ZW400UST(i)

DuraCore laser technology

Includes the advanced laser diode cooling techniques, with the IP5X certificated dust resistant design, it delivers 20,000 hours life time in full brightness mode, and takes the advantage of maintenance-free.




Total cost of ownership


The ZH/ZW400UST(i) projector requires less maintenance, have no user serviceable parts inside and no filters that require periodic replacement. The result is low cost, predictable service cycles, enabling planned down time to be minimized.

Versatile Installations

The multiple modes of projection includes:




Input / Output



- | | |
|--------------------------------|----------------------------------|
| 1.VGA1-In / YPbPr | 9.VGA-Out / VGA2-In |
| 2.HDMI 2 / MHL | 10.RS-232 |
| (*ZH400UST(i) only) | 11.Video (RCA) |
| 3.HDMI 1 | 12.Audio Input (RCA) (right) |
| 4.USB (remote mouse) | 13.Audio Input (RCA) (left) |
| 5.RJ45 | 14.Audio Out |
| 6.USB Type A | 15.Audio input (3.5mm mini jack) |
| 7.Power Socket | 16.Audio input (microphone) |
| 8.Interactive 3.5 mm mini jack | 17.Kensington Lock |

Ultra-Short Throw Lens

Ideal for almost any room in educational and corporate environments, the ZH/ZW400UST(i) makes the most of the available space. The specially designed ultra-short throw lens produces images up to 100" in diagonal from just 30.5cm away, allowing the presenter to stand close to the screen without casting a shadow on the image.



Ultimate Control - System integration and control

Multiple ZH/ZW400UST(i) projectors can be monitored over the LAN and can also send an email alert via Crestron RoomView in the event of an error or a lamp failure. Projector status can be monitored via a web browser, while Extron IP Link, AMX Device Discovery and PJ-Link.



TouchBeam interactive technology *

Optoma TouchBeam finger-touch interactive technology allows total control without the use of pens. Teachers and presenters can demonstrate their on-screen material, or invite others to join for collaborative discussions.

*Features available only for ZH/ZW400USTi model.

Model	ZH400UST	ZW400UST
Native Resolution	1080p 1920 x 1080	1280 x 800
Brightness	4000 ANSI lumens	4000 ANSI lumens
Brightness	100,000:1	100,000:1
Speaker	10W x 1	
Noise	35dB (Bright mode)/30dB(Eco mode)	
Weight	5.5 kg	
Size	383 x 310 x 86 mm	
Throw Ratio	0.25	0.27
Light Source & Life	Laser, 20,000 hours	
I/O	HDMI x 2 ; VGA x 2 (1 switchable between in /out) USB for service ; USB Type A for Wifi Dongle and USB DiskRJ45 ; Audio in R / L (RCA) ; Audio in (mini Jack)Audio out ; Microphone	
3D	Full HD 3D	

*Optoma guarantees that in normal use, Optoma DLP® color quality will be indistinguishable from when new. Please note that worn lamps will give slight variance. Exclusions: *(1) Guarantee is voided if the projector is subject to damage through mis-use. (2) Guarantee may be void in industrial or commercial entertainment environments where dust or smoke is particularly excessive (3) Guarantee will not apply if lamp brightness is below 50% due to wear or if the projector is not working due to other fault. DLP®, and the DLP logo are registered trademarks of Texas Instruments. All other product names and company names used herein are for identifications purposes only and may be trademarks or registered trademarks of their respective owners. All images have been simulated. Errors and omissions excepted, all specifications are subject to change without notice. Copyright © 2014, Optoma Corporation.

